



KPNLLS18CF

18w LED Circular Panel Downlight, 8 Inch, 4000k, White Bezel



Product Overview

The Kosnic Circular LED Panel is an easy-to-retrofit replacement for downlights. These advanced panels are suitable for all areas, including visually demanding non-transient task areas such as offices and educational premises where users require uniform light to maintain well-being. The Kosnic Circular LED Panel offers Edge-Lit technology to achieve constant light across the surface of the luminaire.

Features

Save up to 50% energy usage compared to traditional fluorescent fittings.

Compatible with Kosnic's emergency module.

Class II.

High lumen output.

Long life of 40,000hrs.

Unit D2 Kennetside, Bone Lane
NEWBURY, BERKSHIRE

T: 01635 523 713 E: sales@kosnic.com W: <http://www.kosnic.com>

Supplied with flicker-free DC driver as standard.

Slim profile design.

Instant start.

Negligible UV output.

Mercury free.

Specifications

Shape / Type	Circular Panel
Colour Finish	White Bezel
Optics Type	Polycarbonate Diffuser
Wattage (w)	18
Total Lumens (lm)	1420
Input Current (mA)	82
Input Voltage	220-240Vac
CCT Temperature (k)	4000
CCT Name	Cool White
Rated Life (hrs)	40000
Switch Cycles	50000
Peak Candelas (cd)	530
Beam Angle (°)	110
CRI	83
Dimmable?	Compatible
Motion Sensor?	No
Power Factor	0.96
Class Protection	Class III
Start Time (s)	0.3
Warm-up Time (s)	0.5
Length (mm)	240
Width (mm)	240
Depth (mm)	24
Ambient Temperature (°C)	-20 to 40
Emergency?	Compatible

Unit D2 Kennetside, Bone Lane
NEWBURY, BERKSHIRE

T: 01635 523 713 E: sales@kosnic.com W: <http://www.kosnic.com>

Energy Label

Energy Class A or above

Packaging

UPC Code 0609207994336

Outer Box Length (mm) 500


Outer Box Width (mm) 370

Outer Box Height (mm) 300

Volume 0.0555

Box Quantity 20

Outer Box Weight/kg 13.5



Datasheet generated from <http://www.electrika.com> on Friday, May 12, 2017 7:11:16 PM

Unit D2 Kennetside, Bone Lane
NEWBURY, BERKSHIRE

T: 01635 523 713 E: sales@kosnic.com W: <http://www.kosnic.com>

