



## **KPRO30T8**

30w LED T8 Tube, 5ft (1500mm), 40000hrs



## **Product Overview**

Kosnic's range of LED tubes takes a fresh approach to functional lighting with retrofit LED tubes that bring the energy saving capabilities of LED technology to the commercial environment. The LED tubes can directly replace fluorescent tubes in magnetic ballast fittings with no rewiring. The LED tubes are also perfectly suited to use in fittings designed for dedicated LED tube use. Suitable for amenity lighting of corridors, stairwells, store rooms, transit areas and other utility spaces.

## **Features**

Save energy up to 65% compared with a fluorescent tube with magnetic ballast.

For maximum energy savings, use the tube in a dedicated LED tube fitting.

Glass tube.

Single side high lumen output for light only where it's needed.

Long life of 40,000h.

---

Unit D2 Kennetside, Bone Lane  
NEWBURY, BERKSHIRE

T: 01635 523 713 E: [sales@kosnic.com](mailto:sales@kosnic.com) W: <http://www.kosnic.com>

Live and neutral connections at one end for safety.

Instant start.

Negligible UV output.

Mercury free.

## Specifications


<b>Fitting</b>	G13
<b>Shape / Type</b>	T8
<b>Optics Type</b>	Frosted
<b>Wattage (w)</b>	30
<b>Total Lumens (lm)</b>	3600
<b>Input Current (mA)</b>	137
<b>Input Voltage</b>	220-240Vac
<b>Rated Life (hrs)</b>	40000
<b>Switch Cycles</b>	50000
<b>Dimmable?</b>	No
<b>Retrofit?</b>	Yes
<b>Power Factor</b>	0.95
<b>Start Time (s)</b>	0.25
<b>Warm-up Time (s)</b>	Instant full light
<b>Length (mm)</b>	1764
<b>Width (mm)</b>	26
<b>Ambient Temperature (°C)</b>	-20 to 40

## Energy Label

<b>Energy Class</b>	A++
<b>Energy Consumption (kWh/1000h)</b>	30

Unit D2 Kennetside, Bone Lane  
NEWBURY, BERKSHIRE

T: 01635 523 713 E: sales@kosnic.com W: <http://www.kosnic.com>



Datasheet generated from <http://www.electrika.com> on Sunday, May 7, 2017 11:28:50 AM